




P1000 - Piston Rings

Cast Iron



Temperature: N/A

Pressure: N/A

Nominal Bore Diameter	Depth P +.003/-0.000	Nominal Bore Diameter	Depth P +.003/-0.000	Nominal Bore Diameter	Depth P +.003/-0.000	Nominal Bore Diameter	Depth P +.003/-0.000	Nominal Piston Ring Width	Width H1 +.003/-0.000
1.000	0.065	3.000	0.160	6.000	0.256	10.500	0.405	1/8	0.125
1.125	0.070	3.125	0.165	6.250	0.258	11.000	0.420	3/10	0.188
1.250	0.075	3.250	0.168	6.500	0.276	11.500	0.436	1/4	0.250
1.375	0.085	3.375	0.171	6.750	0.284	12.000	0.446	5/16	0.313
1.500	0.107	3.500	0.176	7.000	0.293	12.500	0.457	3/8	0.375
1.625	0.116	3.625	0.179	7.250	0.302	13.000	0.470	1/2	0.500
1.750	0.120	3.750	0.185	7.500	0.309	13.500	0.480	5/8	0.625
1.875	0.125	3.875	0.193	7.750	0.307	14.000	0.500	3/4	0.750
2.000	0.125	4.000	0.194	8.000	0.325	14.500	0.520	7/8	0.875
2.125	0.130	4.250	0.203	8.250	0.333	15.000	0.537	1	1.000
2.250	0.135	4.500	0.213	8.500	0.340	15.500	0.545		
2.375	0.141	4.750	0.221	8.750	0.349	16.000	0.560		
2.500	0.147	5.000	0.230	9.000	0.359	16.500	0.580		
2.625	0.152	5.250	0.234	9.250	0.365	17.000	0.592		
2.750	0.156	5.500	0.240	9.500	0.370	17.500	0.610		
2.875	0.158	5.750	0.249	10.000	0.382	18.000	0.625		



NOTE: MINIMUM LINE ORDER MAY APPLY

P1000 SERIES - CAST IRON

INCH SIZE
PISTON SEALS



Ref.Number	Bore Diameter	Nominal Seal Dimensions			Ref.Number	Bore Diameter	Nominal Seal Dimensions		
	Tol.	S	H			Tol.	S	H	
P1001	1.500 +.003 / -.000	0.052 - 0.067	0.123 - 0.124		P1014-04	3.125 +.004 / -.000	0.100 - 0.115	0.123 - 0.124	
P1001-03	1.500 +.003 / -.000	0.052 - 0.067	0.093 - 0.094		P1014-08	3.125 +.004 / -.000	0.100 - 0.115	0.248 - 0.249	
P1001-06	1.500 +.003 / -.000	0.052 - 0.067	0.186 - 0.187		P1014-10	3.125 +.004 / -.000	0.100 - 0.115	0.310 - 0.311	
P1002	1.625 +.003 / -.000	0.056 - 0.071	0.123 - 0.124		P1015	3.250 +.004 / -.000	0.103 - 0.118	0.186 - 0.187	
P1002-03	1.625 +.003 / -.000	0.056 - 0.071	0.093 - 0.094		P1015-04	3.250 +.004 / -.000	0.103 - 0.118	0.123 - 0.124	
P1002-06	1.625 +.003 / -.000	0.056 - 0.071	0.186 - 0.187		P1015-08	3.250 +.004 / -.000	0.103 - 0.118	0.248 - 0.249	
P1003	1.750 +.003 / -.000	0.060 - 0.075	0.123 - 0.124		P1015-10	3.250 +.004 / -.000	0.103 - 0.118	0.310 - 0.311	
P1003-03	1.750 +.003 / -.000	0.060 - 0.075	0.093 - 0.094		P1016	3.375 +.004 / -.000	0.106 - 0.121	0.186 - 0.187	
P1003-06	1.750 +.003 / -.000	0.060 - 0.075	0.186 - 0.187		P1016-04	3.375 +.004 / -.000	0.106 - 0.121	0.123 - 0.124	
P1004	1.875 +.003 / -.000	0.060 - 0.075	0.123 - 0.124		P1016-08	3.375 +.004 / -.000	0.106 - 0.121	0.248 - 0.249	
P1004-03	1.875 +.003 / -.000	0.060 - 0.075	0.093 - 0.094		P1016-10	3.375 +.004 / -.000	0.106 - 0.121	0.310 - 0.311	
P1004-06	1.875 +.003 / -.000	0.060 - 0.075	0.186 - 0.187		P1017	3.500 +.004 / -.000	0.109 - 0.124	0.186 - 0.187	
P1005	2.000 +.003 / -.000	0.060 - 0.075	0.123 - 0.124		P1017-04	3.500 +.004 / -.000	0.109 - 0.124	0.123 - 0.124	
P1005-03	2.000 +.003 / -.000	0.060 - 0.075	0.093 - 0.094		P1017-08	3.500 +.004 / -.000	0.109 - 0.124	0.248 - 0.249	
P1005-06	2.000 +.003 / -.000	0.060 - 0.075	0.186 - 0.187		P1017-10	3.500 +.004 / -.000	0.109 - 0.124	0.310 - 0.311	
P1006	2.125 +.003 / -.000	0.065 - 0.080	0.186 - 0.187		P1018	3.625 +.004 / -.000	0.112 - 0.127	0.186 - 0.187	
P1006-03	2.125 +.003 / -.000	0.065 - 0.080	0.093 - 0.094		P1018-04	3.625 +.004 / -.000	0.112 - 0.127	0.123 - 0.124	
P1006-04	2.125 +.003 / -.000	0.065 - 0.080	0.123 - 0.124		P1018-08	3.625 +.004 / -.000	0.112 - 0.127	0.248 - 0.249	
P1006-08	2.125 +.003 / -.000	0.065 - 0.080	0.248 - 0.249		P1018-10	3.625 +.004 / -.000	0.112 - 0.127	0.310 - 0.311	
P1007	2.250 +.003 / -.000	0.070 - 0.085	0.186 - 0.187		P1019	3.750 +.004 / -.000	0.115 - 0.130	0.248 - 0.249	
P1007-03	2.250 +.003 / -.000	0.070 - 0.085	0.093 - 0.094		P1019-04	3.750 +.004 / -.000	0.115 - 0.130	0.123 - 0.124	
P1007-04	2.250 +.003 / -.000	0.070 - 0.085	0.123 - 0.124		P1019-06	3.750 +.004 / -.000	0.115 - 0.130	0.186 - 0.187	
P1007-08	2.250 +.003 / -.000	0.070 - 0.085	0.248 - 0.249		P1019-10	3.750 +.004 / -.000	0.115 - 0.130	0.310 - 0.311	
P1008	2.375 +.003 / -.000	0.076 - 0.091	0.186 - 0.187		P1020	3.875 +.004 / -.000	0.123 - 0.138	0.248 - 0.249	
P1008-03	2.375 +.003 / -.000	0.076 - 0.091	0.093 - 0.094		P1020-04	3.875 +.004 / -.000	0.123 - 0.138	0.123 - 0.124	
P1008-04	2.375 +.003 / -.000	0.076 - 0.091	0.123 - 0.124		P1020-06	3.875 +.004 / -.000	0.123 - 0.138	0.186 - 0.187	
P1008-08	2.375 +.003 / -.000	0.076 - 0.091	0.248 - 0.249		P1020-10	3.875 +.004 / -.000	0.123 - 0.138	0.310 - 0.311	
P1009	2.500 +.003 / -.000	0.082 - 0.097	0.186 - 0.187		P1021	4.000 +.004 / -.000	0.127 - 0.142	0.248 - 0.249	
P1009-03	2.500 +.003 / -.000	0.082 - 0.097	0.093 - 0.094		P1021-04	4.000 +.004 / -.000	0.127 - 0.142	0.123 - 0.124	
P1009-04	2.500 +.003 / -.000	0.082 - 0.097	0.123 - 0.124		P1021-06	4.000 +.004 / -.000	0.127 - 0.142	0.186 - 0.187	
P1009-08	2.500 +.003 / -.000	0.082 - 0.097	0.248 - 0.249		P1021-10	4.000 +.004 / -.000	0.127 - 0.142	0.310 - 0.311	
P1010	2.625 +.003 / -.000	0.087 - 0.102	0.186 - 0.187		P1022	4.250 +.004 / -.000	0.135 - 0.150	0.248 - 0.249	
P1010-03	2.625 +.003 / -.000	0.087 - 0.102	0.093 - 0.094		P1022-04	4.250 +.004 / -.000	0.135 - 0.150	0.123 - 0.124	
P1010-04	2.625 +.003 / -.000	0.087 - 0.102	0.123 - 0.124		P1022-06	4.250 +.004 / -.000	0.135 - 0.150	0.186 - 0.187	
P1010-08	2.625 +.003 / -.000	0.087 - 0.102	0.248 - 0.249		P1022-10	4.250 +.004 / -.000	0.135 - 0.150	0.310 - 0.311	
P1011	2.750 +.003 / -.000	0.091 - 0.106	0.186 - 0.187		P1023	4.500 +.004 / -.000	0.145 - 0.160	0.248 - 0.249	
P1011-03	2.750 +.003 / -.000	0.091 - 0.106	0.093 - 0.094		P1023-04	4.500 +.004 / -.000	0.145 - 0.160	0.123 - 0.124	
P1011-04	2.750 +.003 / -.000	0.091 - 0.106	0.123 - 0.124		P1023-06	4.500 +.004 / -.000	0.145 - 0.160	0.186 - 0.187	
P1011-08	2.750 +.003 / -.000	0.091 - 0.106	0.248 - 0.249		P1023-10	4.500 +.004 / -.000	0.145 - 0.160	0.310 - 0.311	
P1012	2.875 +.003 / -.000	0.093 - 0.108	0.186 - 0.187		P1023-12	4.500 +.004 / -.000	0.145 - 0.160	0.372 - 0.373	
P1012-04	2.875 +.003 / -.000	0.093 - 0.108	0.123 - 0.124		P1023-16	4.500 +.004 / -.000	0.145 - 0.160	0.497 - 0.498	
P1012-08	2.875 +.003 / -.000	0.093 - 0.108	0.248 - 0.249		P1024	4.750 +.004 / -.000	0.152 - 0.167	0.248 - 0.249	
P1013	3.000 +.004 / -.000	0.095 - 0.110	0.186 - 0.187		P1024-04	4.750 +.004 / -.000	0.152 - 0.167	0.123 - 0.124	
P1013-04	3.000 +.004 / -.000	0.095 - 0.110	0.123 - 0.124		P1024-06	4.750 +.004 / -.000	0.152 - 0.167	0.186 - 0.187	
P1013-08	3.000 +.004 / -.000	0.095 - 0.110	0.248 - 0.249		P1024-10	4.750 +.004 / -.000	0.152 - 0.167	0.310 - 0.311	
P1013-10	3.000 +.004 / -.000	0.095 - 0.110	0.310 - 0.311		P1024-12	4.750 +.004 / -.000	0.152 - 0.167	0.372 - 0.373	
P1014	3.125 +.004 / -.000	0.100 - 0.115	0.186 - 0.187		P1024-16	4.750 +.004 / -.000	0.152 - 0.167	0.497 - 0.498	

NOTE: MINIMUM LINE ORDER MAY APPLY

P1000 SERIES - CAST IRON

Ref.Number	Bore Diameter	Nominal Seal Dimensions			Ref.Number	Bore Diameter	Nominal Seal Dimensions		
		Tol.	S	H			Tol.	S	H
P1025	5.000	+ .004 / - .000	0.160 - 0.175	0.248 - 0.249	P1032-16	6.750	+ .005 / - .000	0.219 - 0.234	0.497 - 0.498
P1025-04	5.000	+ .004 / - .000	0.160 - 0.175	0.123 - 0.124	P1033	7.000	+ .005 / - .000	0.228 - 0.243	0.310 - 0.311
P1025-06	5.000	+ .004 / - .000	0.160 - 0.175	0.186 - 0.187	P1033-04	7.000	+ .005 / - .000	0.228 - 0.243	0.123 - 0.124
P1025-10	5.000	+ .004 / - .000	0.160 - 0.175	0.310 - 0.311	P1033-06	7.000	+ .005 / - .000	0.228 - 0.243	0.185 - 0.187
P1025-12	5.000	+ .004 / - .000	0.160 - 0.175	0.372 - 0.373	P1033-08	7.000	+ .005 / - .000	0.228 - 0.243	0.248 - 0.249
P1025-16	5.000	+ .004 / - .000	0.160 - 0.175	0.497 - 0.498	P1033-12	7.000	+ .005 / - .000	0.228 - 0.243	0.372 - 0.373
P1026	5.250	+ .004 / - .000	0.166 - 0.181	0.248 - 0.249	P1033-16	7.000	+ .005 / - .000	0.228 - 0.243	0.497 - 0.498
P1026-04	5.250	+ .004 / - .000	0.166 - 0.181	0.123 - 0.124	P1034	7.250	+ .005 / - .000	0.237 - 0.252	0.310 - 0.311
P1026-06	5.250	+ .004 / - .000	0.166 - 0.181	0.186 - 0.187	P1034-04	7.250	+ .005 / - .000	0.237 - 0.252	0.123 - 0.124
P1026-10	5.250	+ .004 / - .000	0.166 - 0.181	0.310 - 0.311	P1034-06	7.250	+ .005 / - .000	0.237 - 0.252	0.185 - 0.187
P1026-12	5.250	+ .004 / - .000	0.166 - 0.181	0.372 - 0.373	P1034-08	7.250	+ .005 / - .000	0.237 - 0.252	0.248 - 0.249
P1026-16	5.250	+ .004 / - .000	0.166 - 0.181	0.497 - 0.498	P1034-12	7.250	+ .005 / - .000	0.237 - 0.252	0.372 - 0.373
P1027	5.500	+ .004 / - .000	0.175 - 0.190	0.248 - 0.249	P1034-16	7.250	+ .005 / - .000	0.237 - 0.252	0.497 - 0.498
P1027-04	5.500	+ .004 / - .000	0.175 - 0.190	0.123 - 0.124	P1035	7.500	+ .005 / - .000	0.244 - 0.259	0.310 - 0.311
P1027-06	5.500	+ .004 / - .000	0.175 - 0.190	0.186 - 0.187	P1035-04	7.500	+ .005 / - .000	0.244 - 0.259	0.123 - 0.124
P1027-10	5.500	+ .004 / - .000	0.175 - 0.190	0.310 - 0.311	P1035-06	7.500	+ .005 / - .000	0.244 - 0.259	0.185 - 0.187
P1027-12	5.500	+ .004 / - .000	0.175 - 0.190	0.372 - 0.373	P1035-08	7.500	+ .005 / - .000	0.244 - 0.259	0.248 - 0.249
P1027-16	5.500	+ .004 / - .000	0.175 - 0.190	0.497 - 0.498	P1035-12	7.500	+ .005 / - .000	0.244 - 0.259	0.372 - 0.373
P1028	5.750	+ .004 / - .000	0.184 - 0.199	0.248 - 0.249	P1035-16	7.500	+ .005 / - .000	0.244 - 0.259	0.497 - 0.498
P1028-04	5.750	+ .004 / - .000	0.184 - 0.199	0.123 - 0.124	P1036	7.750	+ .005 / - .000	0.252 - 0.267	0.310 - 0.311
P1028-06	5.750	+ .004 / - .000	0.184 - 0.199	0.186 - 0.187	P1036-04	7.750	+ .005 / - .000	0.252 - 0.267	0.123 - 0.124
P1028-10	5.750	+ .004 / - .000	0.184 - 0.199	0.310 - 0.311	P1036-06	7.750	+ .005 / - .000	0.252 - 0.267	0.185 - 0.187
P1028-12	5.750	+ .004 / - .000	0.184 - 0.199	0.372 - 0.373	P1036-08	7.750	+ .005 / - .000	0.252 - 0.267	0.248 - 0.249
P1028-16	5.750	+ .004 / - .000	0.184 - 0.199	0.497 - 0.498	P1036-12	7.750	+ .005 / - .000	0.252 - 0.267	0.372 - 0.373
P1029	6.000	+ .004 / - .000	0.191 - 0.206	0.310 - 0.311	P1036-16	7.750	+ .005 / - .000	0.252 - 0.267	0.497 - 0.498
P1029-04	6.000	+ .004 / - .000	0.191 - 0.206	0.123 - 0.124	P1037	8.000	+ .005 / - .000	0.260 - 0.275	0.372 - 0.373
P1029-06	6.000	+ .004 / - .000	0.191 - 0.206	0.185 - 0.187	P1037-04	8.000	+ .005 / - .000	0.260 - 0.275	0.123 - 0.124
P1029-08	6.000	+ .004 / - .000	0.191 - 0.206	0.248 - 0.249	P1037-06	8.000	+ .005 / - .000	0.260 - 0.275	0.185 - 0.187
P1029-12	6.000	+ .004 / - .000	0.191 - 0.206	0.372 - 0.373	P1037-08	8.000	+ .005 / - .000	0.260 - 0.275	0.248 - 0.249
P1029-16	6.000	+ .004 / - .000	0.191 - 0.206	0.497 - 0.498	P1037-10	8.000	+ .005 / - .000	0.260 - 0.275	0.310 - 0.311
P1030	6.250	+ .004 / - .000	0.202 - 0.217	0.310 - 0.311	P1037-16	8.000	+ .005 / - .000	0.260 - 0.275	0.497 - 0.498
P1030-04	6.250	+ .004 / - .000	0.202 - 0.217	0.123 - 0.124	P1038	8.250	+ .005 / - .000	0.268 - 0.283	0.372 - 0.373
P1030-06	6.250	+ .004 / - .000	0.202 - 0.217	0.185 - 0.187	P1038-06	8.250	+ .005 / - .000	0.268 - 0.283	0.185 - 0.187
P1030-08	6.250	+ .004 / - .000	0.202 - 0.217	0.248 - 0.249	P1038-08	8.250	+ .005 / - .000	0.268 - 0.283	0.248 - 0.249
P1030-12	6.250	+ .004 / - .000	0.202 - 0.217	0.372 - 0.373	P1038-10	8.250	+ .005 / - .000	0.268 - 0.283	0.310 - 0.311
P1030-16	6.250	+ .004 / - .000	0.202 - 0.217	0.497 - 0.498	P1038-16	8.250	+ .005 / - .000	0.268 - 0.283	0.497 - 0.498
P1031	6.500	+ .004 / - .000	0.211 - 0.226	0.310 - 0.311	P1039	8.500	+ .005 / - .000	0.275 - 0.290	0.372 - 0.373
P1031-04	6.500	+ .004 / - .000	0.211 - 0.226	0.123 - 0.124	P1039-06	8.500	+ .005 / - .000	0.275 - 0.290	0.185 - 0.187
P1031-06	6.500	+ .004 / - .000	0.211 - 0.226	0.185 - 0.187	P1039-08	8.500	+ .005 / - .000	0.275 - 0.290	0.248 - 0.249
P1031-08	6.500	+ .004 / - .000	0.211 - 0.226	0.248 - 0.249	P1039-10	8.500	+ .005 / - .000	0.275 - 0.290	0.310 - 0.311
P1031-12	6.500	+ .004 / - .000	0.211 - 0.226	0.372 - 0.373	P1039-16	8.500	+ .005 / - .000	0.275 - 0.290	0.497 - 0.498
P1031-16	6.500	+ .004 / - .000	0.211 - 0.226	0.497 - 0.498	P1040	8.750	+ .005 / - .000	0.284 - 0.299	0.372 - 0.373
P1032	6.750	+ .005 / - .000	0.219 - 0.234	0.310 - 0.311	P1040-06	8.750	+ .005 / - .000	0.284 - 0.299	0.185 - 0.187
P1032-04	6.750	+ .005 / - .000	0.219 - 0.234	0.123 - 0.124	P1040-08	8.750	+ .005 / - .000	0.284 - 0.299	0.248 - 0.249
P1032-06	6.750	+ .005 / - .000	0.219 - 0.234	0.185 - 0.187	P1040-10	8.750	+ .005 / - .000	0.284 - 0.299	0.310 - 0.311
P1032-08	6.750	+ .005 / - .000	0.219 - 0.234	0.248 - 0.249	P1040-16	8.750	+ .005 / - .000	0.284 - 0.299	0.497 - 0.498
P1032-12	6.750	+ .005 / - .000	0.219 - 0.234	0.372 - 0.373	P1041	9.000	+ .005 / - .000	0.294 - 0.309	0.372 - 0.373

NOTE: MINIMUM LINE ORDER MAY APPLY

P1000 SERIES - CAST IRON

Ref.Number	Bore Diameter	Nominal Seal Dimensions		
	Tol.	S	H	
P1041-06	9.000 +.005 / -.000	0.294 - 0.309	0.185 - 0.187	
P1041-08	9.000 +.005 / -.000	0.294 - 0.309	0.248 - 0.249	
P1041-10	9.000 +.005 / -.000	0.294 - 0.309	0.310 - 0.311	
P1041-14	9.000 +.005 / -.000	0.297 - 0.312	0.435 - 0.436	
P1041-16	9.000 +.005 / -.000	0.294 - 0.309	0.497 - 0.498	
P1042	9.250 +.005 / -.000	0.300 - 0.315	0.372 - 0.373	
P1042-06	9.250 +.005 / -.000	0.300 - 0.315	0.185 - 0.187	
P1042-08	9.250 +.005 / -.000	0.300 - 0.315	0.248 - 0.249	
P1042-10	9.250 +.005 / -.000	0.300 - 0.315	0.310 - 0.311	
P1042-16	9.250 +.005 / -.000	0.300 - 0.315	0.497 - 0.498	
P1043	9.500 +.005 / -.000	0.305 - 0.320	0.372 - 0.373	
P1043-06	9.500 +.005 / -.000	0.305 - 0.320	0.185 - 0.187	
P1043-08	9.500 +.005 / -.000	0.305 - 0.320	0.248 - 0.249	
P1043-10	9.500 +.005 / -.000	0.305 - 0.320	0.309 - 0.311	
P1043-16	9.500 +.005 / -.000	0.305 - 0.320	0.497 - 0.498	
P1044	10.000 +.005 / -.000	0.317 - 0.332	0.371 - 0.373	
P1044-08	10.000 +.005 / -.000	0.317 - 0.332	0.247 - 0.249	
P1044-10	10.000 +.005 / -.000	0.317 - 0.332	0.309 - 0.311	
P1044-16	10.000 +.005 / -.000	0.317 - 0.332	0.496 - 0.498	
P1045	10.500 +.005 / -.000	0.326 - 0.341	0.371 - 0.373	
P1045-08	10.500 +.005 / -.000	0.326 - 0.341	0.247 - 0.249	
P1045-10	10.500 +.005 / -.000	0.326 - 0.341	0.309 - 0.311	

NOTE: MINIMUM LINE ORDER MAY APPLY

Ref.Number	Bore Diameter	Nominal Seal Dimensions		
	Tol.	S	H	
P1045-16	10.500 +.005 / -.000	0.326 - 0.341	0.496 - 0.498	
P1046	11.000 +.006 / -.000	0.343 - 0.358	0.371 - 0.373	
P1046-08	11.000 +.006 / -.000	0.343 - 0.358	0.247 - 0.249	
P1046-10	11.000 +.006 / -.000	0.343 - 0.358	0.309 - 0.311	
P1046-16	11.000 +.006 / -.000	0.343 - 0.358	0.496 - 0.498	
P1047	11.500 +.006 / -.000	0.358 - 0.373	0.371 - 0.373	
P1047-08	11.500 +.006 / -.000	0.358 - 0.373	0.247 - 0.249	
P1047-10	11.500 +.006 / -.000	0.358 - 0.373	0.309 - 0.311	
P1047-16	11.500 +.006 / -.000	0.358 - 0.373	0.496 - 0.498	
P1048	12.000 +.006 / -.000	0.386 - 0.401	0.371 - 0.373	
P1048-08	12.000 +.006 / -.000	0.386 - 0.401	0.247 - 0.249	
P1048-10	12.000 +.006 / -.000	0.386 - 0.401	0.309 - 0.311	
P1048-16	12.000 +.006 / -.000	0.386 - 0.401	0.496 - 0.498	
P1050	13.000 +.006 / -.000	0.400 - 0.430	0.496 - 0.498	
P1050-12	13.000 +.006 / -.000	0.400 - 0.430	0.371 - 0.373	
P1050-20	13.000 +.006 / -.000	0.400 - 0.430	0.621 - 0.623	
P1051	13.500 +.006 / -.000	0.400 - 0.430	0.496 - 0.498	
P1052	14.000 +.006 / -.000	0.430 - 0.460	0.496 - 0.498	
P1052-12	14.000 +.006 / -.000	0.400 - 0.430	0.371 - 0.373	
P1054	15.000 +.006 / -.000	0.463 - 0.493	0.496 - 0.498	
P1056	16.000 +.006 / -.000	0.487 - 0.517	0.496 - 0.498	
P1057-16	16.500 +.006 / -.000	0.435 - 0.465	0.496 - 0.498	

INCH SIZE
PISTON SEALSMSO

